



<http://www.homelong996.com.tw/about.php>



PRODUCT CATALOGUE

Quality first
On time delivery
Excellent service



Quality first
On time delivery
Excellent service

HOMELONG

Founded in 1992, our company has been a dedicated manufacturer of aluminum safety and protective gear, mountain climbing hooks, rock climbing gear and other OEM products for over 25 years.

All manufacturing processes from receipt of incoming aluminum alloy materials to final product inspection are done internally by our company. We also received ISO 9001-2015 certification for our product manufacturing processes.

Due to our total commitment to satisfy customer requirements, manufacturing process control and timely delivery, we are confident that we can supply our customer with top quality products.

If you require OEM manufacturing services or ODM designed and developed products, contact us. We offer great quality products at reasonable prices to fully satisfy customer requirements.





Table of Contents

Climbing Carabiners ----- 02-09

Safety Hooks ----- 10-11

Rings ----- 12

Pulleys ----- 13

Descender / Rigging Plate / Belay ----- 14-15

Buckle / Slider Loops / Ladder ----- 16-17



HL04-SG

ALUMINUM ALLOY 7075
(SCREW GATE)
94 height*56 width mm
Open Gate : 22mm
Breaking Load : 22kN
Weigh : 41g
Anodized Finish



HL04-B

ALUMINUM ALLOY 7075
(BENT GATE)
94 height*56 width mm
Open Gate : 22mm
Breaking Load : 22kN
Weigh : 38g
Anodized Finish



HL05-SG

ALUMINUM ALLOY 7075
(SCREW GATE)
102 height*58 width mm
Open Gate : 24mm
Breaking Load : 24kN
Weight : 45g
Anodized Finish



HL05-S

ALUMINUM ALLOY 7075
(STRAIGHT GATE)
102 height*58 width mm
Open Gate : 24mm
Breaking Load : 24kN
Weight : 41g
Anodized Finish



HL05-B

ALUMINUM ALLOY 7075
(BENT GATE)
102 height*58 width mm
Open Gate : 24mm
Breaking Load : 24kN
Weight : 41g
Anodized Finish



HL06-S

ALUMINUM ALLOY 7075
(STRAIGHT GATE)
101 height*59 width mm
Open Gate : 23mm
Breaking Load : 25kN
Weight : 50g
Anodized Finish



HL06-SG

ALUMINUM ALLOY 7075
(SCREW GATE)
101 height*59 width mm
Open Gate : 23mm
Breaking Load : 25kN
Weight : 55g
Anodized Finish



HL06-B

ALUMINUM ALLOY 7075
(BENT GATE)
101 height*59 width mm
Open Gate : 23mm
Breaking Load : 25kN
Weight : 50g
Anodized Finish



HL01-SG

ALUMINUM ALLOY 7075
(SCREW GATE)
81 height*46 width mm
Open Gate : 21mm
Breaking Load : 9kN
Weight : 27g
Anodized Finish



HL01-2

ALUMINUM ALLOY 7075
(TWIST LOCKING)
81 height*46 width mm
Open Gate : 18mm
Breaking Load : 9kN
Weight : 30g
Anodized Finish



HL01-SG-PIN

ALUMINUM ALLOY 7075
(SCREW GATE)
81 height*46 width mm
Open Gate : 21mm with PIN
Breaking Load : 9kN
Weight : 28g
Anodized Finish



HL01-2-PIN

ALUMINUM ALLOY 7075
(TWIST LOCKING)
81 height*46 width mm
Open Gate : 18mm with PIN
Breaking Load : 9kN
Weight : 31g
Anodized Finish



HL07-SG

ALUMINUM ALLOY 7075
(SCREW GATE)
100 height*58 width mm
Open Gate : 23mm
Breaking Load : 23kN
Weight : 52g
Anodized Finish



HL07-S

ALUMINUM ALLOY 7075
(STRAIGHT GATE)
100 height*58 width mm
Open Gate : 23mm
Breaking Load : 23kN
Weight : 43g
Anodized Finish



HL08-SG

ALUMINUM ALLOY 7075
(SCREW GATE)
103 height*63 width mm
Open Gate : 27 mm
Breaking Load : 23kN
Weight : 62g
Anodized Finish



HL08-B

ALUMINUM ALLOY 7075
(BENT GATE)
103 height*63 width mm
Open Gate : 27 mm
Breaking Load : 23kN
Weight : 57g
Anodized Finish

KEY LOCKING



HL09-SG

ALUMINUM ALLOY 7075
(SCREW GATE)
113 height*78 width mm
Open Gate : 32 mm
Breaking Load : 25kN
Weight : 90g
Anodized Finish



HL09-2

ALUMINUM ALLOY 7075
(TWIST LOCKING)
113 height*78 width mm
Open Gate : 32 mm
Breaking Load : 25kN
Weight : 95g
Anodized Finish



HL10-SG

ALUMINUM ALLOY 7075
(SCREW GATE)
103 height*70 width mm
Open Gate : 29 mm
Breaking Load : 23kN
Weight : 74g
Anodized Finish



HL10-2

ALUMINUM ALLOY 7075
(TWIST LOCKING)
103 height*70 width mm
Open Gate : 26 mm
Breaking Load : 23kN
Weight : 80g
Anodized Finish



HL11-SG

ALUMINUM ALLOY 7075
(SCREW GATE)
109 height*75 width mm
Open Gate : 30mm
Breaking Load : 25kN
Weight : 84g
Anodized Finish



HL11-2

ALUMINUM ALLOY 7075
(TWIST LOCKING)
109 height*75 width mm
Open Gate : 26mm
Breaking Load : 25kN
Weight : 91g
Anodized Finish




HL14-SG

ALUMINUM ALLOY 7075
(SCREW GATE)
123 height*81 width mm
Open Gate : 36mm
Breaking Load : 25kN
Weight : 85g
Anodized Finish



HL14-2

ALUMINUM ALLOY 7075
(TWIST LOCKING)
123 height*81 width mm
Open Gate : 30mm
Breaking Load : 25kN
Weight : 92g
Anodized Finish



HL12-SG (PIN)

ALUMINUM ALLOY 7075
(SCREW GATE)
110 height*60 width mm
Open Gate : 27mm
Breaking Load : 26kN
Weight : 77g
Anodized Finish



HL12-2 (PIN)

ALUMINUM ALLOY 7075
(TWIST LOCKING)
110 height*60 width mm
Open Gate : 25mm
Breaking Load : 26kN
Weight : 82g
Anodized Finish



HL16-B

ALUMINUM ALLOY 7075
(BENT GATE)
103 height*56 width mm
Open Gate : 20mm
Breaking Load : 24kN
Weight : 62g
Anodized Finish



HL12-S

ALUMINUM ALLOY 7075
(STRAIGHT GATE)
110 height*60 width mm
Open Gate : 25mm
Breaking Load : 26kN
Weight : 70g
Anodized Finish



HL13-SG

ALUMINUM ALLOY 7075
(SCREW GATE)
105 height*60 width mm
Open Gate : 24mm
Breaking Load : 22kN
Weight : 73g
Anodized Finish



HL13-2

ALUMINUM ALLOY 7075
(TWIST LOCKING)
105 height*60 width mm
Open Gate : 22mm
Breaking Load : 22kN
Weight : 76g
Anodized Finish



HL15-SG

ALUMINUM ALLOY 7075
(SCREW GATE)
111 height*70 width mm
Open Gate : 28mm
Breaking Load : 26kN
Weight : 75g
Anodized Finish



HL15-2

ALUMINUM ALLOY 7075
(TWIST LOCKING)
111 height*70 width mm
Open Gate : 24mm
Breaking Load : 26kN
Weight : 81g
Anodized Finish

KEY LOCKING



HM61-SG

ALUMINUM ALLOY 7075
(SCREW GATE)
123 height*77 width mm
Open Gate : 33mm
Breaking Load : 25kN
Weight : 95g
Anodized Finish



HM61-2

ALUMINUM ALLOY 7075
(TWIST LOCKING)
123 height*77 width mm
Open Gate : 27mm
Breaking Load : 25kN
Weight : 100g
Anodized Finish



HM62-SG

ALUMINUM ALLOY 7075
(SCREW GATE)
110 height*68 width mm
Open Gate : 32mm
Breaking Load : 25kN
Weight : 77g
Anodized Finish



HM62-2

ALUMINUM ALLOY 7075
(TWIST LOCKING)
110 height*68 width mm
Open Gate : 27mm
Breaking Load : 25kN
Weight : 82g
Anodized Finish



HM63-SG

ALUMINUM ALLOY 7075
(SCREW GATE)
110 height*68 width mm
Open Gate : 32mm
Breaking Load : 25kN
Weight : 77g
Anodized Finish



HM63-2

ALUMINUM ALLOY 7075
(TWIST LOCKING)
110 height*68 width mm
Open Gate : 27mm
Breaking Load : 25kN
Weight : 82g
Anodized Finish



HM64-SG

ALUMINUM ALLOY 7075
(SCREW GATE)
112 height*74 width mm
Open Gate : 30mm
Breaking Load : 25kN
Weight : 87g
Anodized Finish



HM64-2 (PIN)

ALUMINUM ALLOY 7075
(TWIST LOCKING)
112 height*74 width mm
Open Gate : 28mm
Breaking Load : 25kN
Weight : 93g
Anodized Finish



HM50-S

ALUMINUM ALLOY 7075
(STRAIGHT GATE)
87 height*51 width mm
Open Gate : 15mm
Breaking Load : 22kN
Weight : 38g
Anodized Finish



HM50-BW

ALUMINUM ALLOY 7075
(BENT WIRE)
87 height*51 width mm
Open Gate: 20mm
Breaking Load : 22kN
Weight : 32g
Anodized Finish



HM51-SG

ALUMINUM ALLOY 7075
(SCREW GATE)
79 height*49 width mm
Open Gate : 20mm
Breaking Load : 10kN
Weight : 25g
Anodized Finish



HM51-S

ALUMINUM ALLOY 7075
(STRAIGHT GATE)
79 height*49 width mm
Open Gate : 20mm
Breaking Load : 10kN
Weight : 22g
Anodized Finish



HM54-SG

ALUMINUM ALLOY 7075
(SCREW GATE)
104 height*58 width mm
Open Gate : 25mm
Breaking Load : 25kN
Weight : 62g
Anodized Finish



HM54-B

ALUMINUM ALLOY 7075
(BENT GATE)
104 height*58 width mm
Open Gate : 25mm
Breaking Load : 25kN
Weight : 54g
Anodized Finish



HM65-SG

ALUMINUM ALLOY 7075
(SCREW GATE)
112 height*75 width mm
Open Gate : 32mm
Breaking Load : 25kN
Weight : 87g
Anodized Finish



HM58-2

ALUMINUM ALLOY 7075
(TWIST LOCKING)
120 height*79 width mm
Open Gate : 33mm
Breaking Load : 24kN
Weight : 96g
Anodized Finish



HM52-SG

ALUMINUM ALLOY 7075
(SCREW GATE)
101 height*58 width mm
Open Gate : 22mm
Breaking Load : 25kN
Weight : 68g
Anodized Finish



HM52-S

ALUMINUM ALLOY 7075
(STRAIGHT GATE)
101 height*58 width mm
Open Gate : 22mm
Breaking Load : 25kN
Weight : 61g
Anodized Finish



HM52-B

ALUMINUM ALLOY 7075
(BENT GATE)
101 height*58 width mm
Open Gate : 25mm
Breaking Load : 25kN
Weight : 61g
Anodized Finish




HM53-S

ALUMINUM ALLOY 7075
(STRAIGHT GATE)
93 height*56 width mm
Open Gate : 24mm
Breaking Load : 23kN
Weight : 36g
Anodized Finish



HM55-SG

ALUMINUM ALLOY 7075
(SCREW GATE)
116 height*73 width mm
Open Gate : 40mm
Breaking Load : 25kN
Weight : 89g
Anodized Finish



HM55-B

ALUMINUM ALLOY 7075
(BENT GATE)
116 height*73 width mm
Open Gate : 40mm
Breaking Load : 25kN
Weight : 83g
Anodized Finish



HM60-SG

ALUMINUM ALLOY 7075
(SCREW GATE)
120 height*78 width mm
Open Gate : 34mm
Breaking Load : 25kN
Weight : 94g
Anodized Finish



HM60-2

ALUMINUM ALLOY 7075
(TWIST LOCKING)
120 height*78 width mm
Open Gate : 34mm
Breaking Load : 25kN
Weight : 99g
Anodized Finish



HM66-SG

ALUMINUM ALLOY 7075
(SCREW GATE)
123 height*72 width mm
Open Gate : 30mm
Breaking Load : 25kN
Weight : 83g
Anodized Finish



HM66-2

ALUMINUM ALLOY 7075
(TWIST LOCKING)
123 height*72 width mm
Open Gate : 23mm
Breaking Load : 25kN
Weight : 88g
Anodized Finish



HM66-SG-E

ALUMINUM ALLOY 7075
(SCREW GATE)
123 height*72 width mm
W/EYELET(11mm)
Open Gate : 30mm
Breaking Load : 25kN
Weight : 85g
Anodized Finish



HM66-2-E

ALUMINUM ALLOY 7075
(TWIST LOCKING)
123 height*72 width mm
W/EYELET(11mm)
Open Gate : 23mm
Breaking Load : 25kN
Weight : 90g
Anodized Finish



HM57-SG

ALUMINUM ALLOY 7075
(SCREW GATE)
107 height*63 width mm
Open Gate : 31mm
Breaking Load : 22kN
Weight : 71g
Anodized Finish



HM57-S

ALUMINUM ALLOY 7075
(STRAIGHT GATE)
107 height*63 width mm
Open Gate : 31mm
Breaking Load : 22kN
Weight : 64g
Anodized Finish



HM59-SG

ALUMINUM ALLOY 7075
(SCREW GATE)
106 height*62 width mm
Open Gate : 24mm
Breaking Load : 26kN
Weight : 74g
Anodized Finish



HM56-B

ALUMINUM ALLOY 7075
(BENT GATE)
100 height*56 width mm
Open Gate : 26mm
Breaking Load : 22kN
Weight : 60g
Anodized Finish



AS 132B

FORGED ALUMINUM ALLOY
135 height*70 width mm
Open Gate : 27mm/15-21mm EYE
Breaking Load : 26kN
Weight : 122g
Anodized Finish



AS 132-20

FORGED ALUMINUM ALLOY
137 height*71 width mm
Open Gate : 28mm/19mm EYE
Breaking Load : 26kN
Weight : 117g
Anodized Finish



AS 132C

FORGED ALUMINUM ALLOY
137 height*72 width mm
Open Gate : 27mm/14-21mm EYE
Breaking Load : 26kN
Weight : 120g
Anodized Finish



AS 132D

FORGED ALUMINUM ALLOY
139 height*72 width mm
Open Gate : 26mm/ 19mm EYE
Breaking Load : 26kN
Weight : 125g
Anodized Finish



A 238

FORGED ALUMINUM ALLOY
238 height*110 width mm
Open Gate : 56mm/22 mm EYE
Breaking Load : 25kN
Weight : 470g
Anodized Finish



A 4902

FORGED ALUMINUM ALLOY
84 height*63 width mm
Open Gate : 11mm
Breaking Load : 18kN
Weight : 70g
Anodized Finish



A 240

FORGED ALUMINUM ALLOY
240 height*133 width mm
Open Gate : 55mm
Breaking Load : 22kN
Weight : 350g
Anodized Finish



A 5290TW

FORGED ALUMINUM ALLOY
142 height*97 width mm
Open Gate : 24 mm / 18 mm EYE
Breaking Load : 24kN
Weight : 245g
BRIGHT POLISHED



A 5290F

FORGED ALUMINUM ALLOY
133 height*78 width mm
Open Gate : 26 mm / 22 mm EYE
Breaking Load : 24kN
Weight : 190g
BRIGHT POLISHED



A 5290LPN

FORGED ALUMINUM ALLOY
142 height*97 width mm
Open Gate : 24 mm / 18 mm EYE
Breaking Load : 24kN
Weight : 245g
BRIGHT POLISHED



A 5290FN

FORGED ALUMINUM ALLOY
133 height*78 width mm
Open Gate : 23 mm / 22 mm EYE
Breaking Load : 24kN
Weight : 250g
BRIGHT POLISHED



A 5290N

FORGED ALUMINUM ALLOY
133 height*78 width mm
Open Gate : 23 mm / 22 mm EYE
Breaking Load : 24kN
Weight : 170g
BRIGHT POLISHED



A 5290

FORGED ALUMINUM ALLOY
133 height*78 width mm
Open Gate : 26 mm / 22 mm EYE
Breaking Load : 24kN
Weight : 160g
BRIGHT POLISHED



AS59-20

Rotating Hook
86 height*35 width mm
Open Gate : 11 mm/ 20 mm EYE
Breaking Load : 5kN
Weight : 35g
Anodized Finish



AS59-13

Rotating Hook
86 mm*35 width mm
Open Gate : 11 mm/13 mm EYE
Breaking Load : 5kN
Weight : 34g
Anodized Finish




ALPFL

FORGED ALUMINUM ALLOY
106 mm*46 mm*9 mm(Thick)
Hole Width : 87mm
Breaking Load : 15kN
Weight : 45g
BRIGHT POLISHED



ABK2T

FORGED ALUMINUM ALLOY
106 mm*46 mm*9 mm(Thick)
Hole Width : 87mm
Breaking Load : 15kN
Weight : 60g
BRIGHT POLISHED



ASLD-85

FORGED ALUMINUM ALLOY
110 mm*73 mm*12 mm(Thick)
Hole Width : 86mm/68 mm
Breaking Load : 20kN
Weight : 40g
BRIGHT POLISHED



A550

FORGED ALUMINUM ALLOY
83 mm*75 mm*10 mm(Thick)
Hole Width : 45mm/55 mm
Breaking Load : 23kN
Weight : 70g
Anodized Finish



ASLD-30

FORGED ALUMINUM ALLOY
67 mm*48 mm*9 mm(Thick)
Hole Width : 19mm
Breaking Load : 22kN
Weight : 40g
BRIGHT POLISHED



ASLD-33

FORGED ALUMINUM ALLOY
95 mm*53 mm*9 mm(Thick)
Hole Width : 32mm
Breaking Load : 20kN
Weight : 60g
BRIGHT POLISHED



A3250

FORGED ALUMINUM ALLOY
68 mm*68 mm*9 mm(Thick)
Hole Width : 45mm
Breaking Load : 20kN
Weight : 40g
BRIGHT POLISHED



A3251

FORGED ALUMINUM ALLOY
69 mm*69 mm*8 mm(Thick)
Hole Width : 46mm/53mm
Breaking Load : 20kN
Weight : 40g
BRIGHT POLISHED





ART-60B

PULLEY


STAMPING ALUMINUM ALLOY

USE ROPE MAX Ø 16 mm

Weight : 436g

Breaking Load : 28kN

Anodized Finish



ART-60

PULLEY


STAMPING ALUMINUM ALLOY

USE ROPE MAX Ø 16 mm

Weight : 250g

Breaking Load : 28kN

Anodized Finish



ART-40

PULLEY


STAMPING ALUMINUM ALLOY

USE ROPE MAX Ø 12mm

Weight : 125g

Breaking Load : 20kN

Anodized Finish



ART-32

PULLEY


STAMPING ALUMINUM ALLOY

USE ROPE MAX Ø 12mm

Weight : 88g

Breaking Load: 20kN

Anodized Finish



ART-13

PULLEY

FORGED ALUMINUM ALLOY

Weight : 10g

Anodized Finish



A 800B

FIGURE 8 DESCENDER
FORGED ALUMINUM ALLOY
79 height*111 width mm
Inner dia : Big-35mm
Small-19mm
Breaking Load : 25kN
Weight : 94g
Anodized Finish



A 800L

FIGURE 8 DESCENDER
FORGED ALUMINUM ALLOY
144 height*75 width mm
Inner dia : Big-50mm
Small-25mm
Breaking Load : 35kN
Weight : 137g
Anodized Finish



A 800M

FIGURE 8 DESCENDER
FORGED ALUMINUM ALLOY
139 height*73 width mm
Inner dia : Big-49mm
Small-23mm
Breaking Load : 35kN
Weight : 110g
Anodized Finish



A 800S

FIGURE 8 DESCENDER
FORGED ALUMINUM ALLOY
130 height*74 width mm
Inner dia : Big-47mm
Small-24mm
Breaking Load : 25kN
Weight : 110g
Anodized Finish



A 7F-12028

FORGED ALUMINUM ALLOY
Inner dia : 27 mm/11 mm(Thick)
Breaking Load : 30kN
Weight : 38g
Anodized Finish



A 7F-12046

FORGED ALUMINUM ALLOY
Inner dia : 45 mm/12 mm(Thick)
Breaking Load : 25kN
Weight : 55g
Anodized Finish




A 8010

FORGED ALUMINUM ALLOY
Inner dia : 59 mm/10 mm(Thick)
Breaking Load : 15kN
Weight : 45g
Anodized Finish



A 801

FIGURE 8 DESCENDER
FORGED ALUMINUM ALLOY
170 height*180 width mm
Inner dia : Big-71mm / Small-40mm
Breaking Load : 40kN
Weight : 279g
Anodized Finish



HRS

ROPE GRAB

FORGED ALUMINUM ALLOY
Rope Size : Ø12-Ø16mm
Weight : 230g
Anodized Finish



AS110-35

Swivel

FORGED ALUMINUM ALLOY 7075
110height*54width mm
Breathing load : 30kN
Weight : 160g
Anodized Finish



AL-80

STAMPING ALUMINUM ALLOY
83 height*90 width mm
Thick : 6mm
Inner diameter : Big-30mm
Small-20mm
Breaking Load : 28kN
Weight : 55g
Anodized Finish

AL-170

STAMPING ALUMINUM ALLOY
172 height*114 width mm
Thick : 8mm
Inner diameter : Big-40mm / Small-20mm
Breaking Load : 50kN
Weight : 246g
Anodized Finish



AL-120

STAMPING ALUMINUM ALLOY
121 height*155 width mm
Thick : 8mm
Inner diameter : Big-52mm
Small-22mm
Breaking Load : 50kN
Weight : 211g
Anodized Finish



FAS-928

BELAY

FORGED ALUMINUM ALLOY 6061
Size : For Rope Ø 8mm~10mm
Weight : 63g
Anodized Finish



FAS-928H

BELAY

FORGED ALUMINUM ALLOY 6061
Size : For Rope Ø 8mm~10mm
Weight : 60g
Anodized Finish



FAS-929

BELAY

FORGED ALUMINUM ALLOY 6061
Size : For Rope Ø 8mm~10mm
Weight : 49g
Anodized Finish



FAS-927

BELAY

FORGED ALUMINUM ALLOY 6061
Size : For Rope Ø 8mm~10mm
Weight : 59g
Anodized Finish



A 3181

FORGED ALUMINUM BUCKLE
46 height*52 width mm
Breaking Load : 10kN
Weight : 60g
Anodized Finish



A 3181-2

Stainless Steel
Hoel width : 43mm
Weight : 36g
BRIGHT POLISHED



A 3181-3

Stainless Steel
Hoel width : 44mm
Weight : 45g
BRIGHT POLISHED




A 3181-4

Stainless Steel
Hoel width : 44mm
Weight : 37g
BRIGHT POLISHED



A 3181-5

Stainless Steel
Hoel width : 48mm
Weight : 45g
BRIGHT POLISHED



A 3181-6

Stainless Steel
Hoel width : 44mm
Weight : 22g
BRIGHT POLISHED




A 3181-7

Stainless Steel
Hoel width : 45mm
Weight : 35g
BRIGHT POLISHED



A 3181-8

Stainless Steel
Hoel width : 47mm
Weight : 30g
BRIGHT POLISHED



A 3181-9

Stainless Steel
Hoel width : 43mm
Weight : 40g
BRIGHT POLISHED



A3181-06A

ALUMINUM ALLOY 7075
55mmx26mm
Thick:3mm
Hole Width:44mm
Anodized Finish




A3181SLD

ALUMINUM ALLOY 7075
62mmx40mm
Thick:4mm
Hole Width:50mm
Anodized Finish



A-68

ALUMINUM ALLOY 7075
66mmx45mm
Thick:4.5mm
Hole Width:50mm
Anodized Finish



A-01

ALUMINUM ALLOY 7075
36mmx29mm
Thick:3mm/4mm
Hole Width:23mm
Anodized Finish



A-02

ALUMINUM ALLOY 7075
42mmx29mm
Thick:3mm/4mm
Hole Width:29mm
Anodized Finish



A-03

ALUMINUM ALLOY 7075
44mmx41mm
Thick:3mm/4mm
Hole Width:30mm
Anodized Finish



A-04

ALUMINUM ALLOY 7075
38mmx25mm
Thick:3mm
Hole Width:28mm
Anodized Finish



A-05

Stainless Steel
32mmx17mm
Thick:2mm
Hole Width:25mm
BRIGHT POLISHED



A-06

ALUMINUM ALLOY 7075
42mmx36mm
Thick:3mm
Hole Width:28mm
Anodized Finish



S-01

Stainless Steel
Inner dia:14mm/20mm
Thick:3mm/4mm
BRIGHT POLISHED



S-02

Stainless Steel
Inner dia:21mm/28mm
Thick:3mm/4mm
BRIGHT POLISHED



S-03

Stainless Steel
Hole Width:11mm/20mm/26mm
Thick:3mm/4mm
BRIGHT POLISHED



AC-25

ALUMINUM ALLOY
25mmx15mm
Hole Width:7mm
Anodized Finish



A4900-0404/48

ALUMINUM ALLOY 7075
61mmx45mm
Thick:3.5mm
Hole Width:47mm
Anodized Finish



A-45

ALUMINUM ALLOY 7075
45mmx45mm
Thick:4mm
Hole Width:31mm
Anodized Finish



LADDER-5M

ALUMINUM ALLOY+CABLE
Total Length : 5meter / 10meter
Breaking Load : 850kg
Anodized Finish



No.10-1,Lane450 Lunmei Rd.Changhua City,
Changhua County 50071,Taiwan (R.O.C)

Tel:+886(4)7631100/886(4)7632299

Fax:+886(4)7522555

<http://www.homelong96.com.tw>

E-mail Address:hong.rong96@msa.hinet.net

E-mail Address:hong.rong96@gmail.com